



PARCELA	USO	TIPOLOGIA	SUP. m ²	COEF. EMP.	EMP.	ARROVOSCH.
M.1.01	T	EAE-EA	5343.84	2.00	11.287.88	11.287.88
M.1.02	T	EAE-EA	1.000.89	0.85	860.94	860.94
M.1.03	T	EAE-EA	1.301.89	0.85	1.106.61	1.106.61
M.1.04	T	EAE-EA	1.402.69	0.85	1.191.79	1.191.79
M.1.05	T	EAE-EA	1.416.25	0.85	1.203.81	1.203.81
M.1.06	T	EAE-EA	1.456.35	0.85	1.237.05	1.237.05
M.1.07	T	EAE-EA	1.317.37	0.85	1.118.42	1.118.42
M.1.08	T	EAE-EA	1.313.44	0.85	1.116.42	1.116.42
M.1.09	T	EAE-EA	2.035.87	0.85	1.728.24	1.728.24
M.1.10	T	EAE-EA	1.782.44	0.85	1.515.07	1.515.07
M.1.11	T	EAE-EA	1.301.85	0.85	1.091.57	1.091.57
M.1.12	T	EAE-EA	5.136.27	0.85	4.366.27	4.366.27
M.1.13	T	EAE-EA	2.749.28	0.85	2.338.89	2.338.89
M.1.14	T	EAE-EA	1.461.97	0.85	1.242.67	1.242.67
M.1.15	T	EAE-EA	1.024.74	0.85	871.88	871.88
M.1.16	T	EAE-EA	1.426.00	0.85	1.212.10	1.212.10
M.1.17	T	EAE-EA	2.908.17	0.85	2.472.79	2.472.79
M.1.18	T	EAE-EA	651.75	0.85	558.48	558.48
M.1.19	T	EAE-EA	13.803.59	0.85	11.736.00	11.736.00
M.1.20	T	EAE-EA	5.323.15	0.85	4.523.38	4.523.38
M.1.21	T	EAE-EA	4.254.39	0.85	3.611.23	3.611.23
M.1.22	T	EAE-EA	1.917.24	0.85	1.544.65	1.544.65
M.1.23	T	EAE-EA	1.906.21	0.85	1.590.93	1.590.93
M.1.24	T	EAE-EA	5.262.19	0.85	4.472.84	4.472.84
M.1.25	T	EAE-EA	2.170.92	0.85	1.845.28	1.845.28
M.1.26	T	EAE-EA	2.002.37	0.85	1.692.91	1.692.91
M.1.27	T	EAE-EA	1.931.14	0.85	1.625.39	1.625.39